# Follower Plate Pump System

### tecosbruhin+

## Folgeplatten-Pumpsystem





#### **Application**

Designed for conveying very high viscous, pasty liquids up to 500,000 mPas in dispensing systems

#### Benefits

- The sophisticated system ensures that your wall stays clean during lifting up the pump and that only very low residual amounts remain in the storage vessel
- The controlled electric drive unit allows for a continous flow rate and makes sure dispensing results

#### Modular Design

The Pumps can be executed for

- 25 100-L Hobbocks and Buckets
- 120 200-L Barrels
- and production containers with Ø < 1,300 mm

#### Einsatzzweck

Ausgelegt zum Fördern von hochviskosen, pastösen Flüssigkeiten bis 500.000 mPas in Dosiersystemen

#### Vorteile

- Das ausgeklügelte System stellt sicher, dass Ihre Wand beim Herausziehen nicht verschmutzt und nur geringste Restmengen im Lagerbehälter verbleiben
- Der geregelte Elektroantrieb ermöglicht einen kontinuierlichen Durchfluss und optimiert das Dosierergebnis

#### Modularer Aufbau

Die Pumpen können ausgeführt werden für:

- 25 100-L Hobbocks
- 120 200-L Fässer
- Und Produktionsbehälter mit Ø < 1.300 mm