

tecobruhin⁺



FLEXjet⁺

Stay flexible

The no. 1 for water-based, solvent-based,
and UV-curing media



FLEXjet+ 4

// For volume and speed

- + Up to 24 dispensing valves
- + Mixing tank from 2.5 kg can up to 200 l barrel



2 flexible types

- + Fully automatic gravimetric dispensing
- + Dispensing accuracy up to 0.05 ml
- + Dispensing speed up to 13 l/min
- + Compact footprint
- + Highly flexible application options
- + Media circulation
- + Hand components can be added
- + Free selection of storage tanks

FLEXjet+ 6

// High-precision dispensing for very small to medium volumes

- + Up to 32 dispensing valves
- + Small (40 ml) to medium (25 l) mixing packages
- + Additional options, such as
 - Automatic can handling
 - Automatic valve cleaning
 - Leakage monitoring



Wonderful. Modular.

- + Storage container with 9 places for 6 l or 12 l containers
- + Connection of all common storage containers, such as hobbocks, barrels, and IBCs
- + Agitators for all known storage packages



We will gladly support you in optimal configuration for your requirements.

- + User-friendly operation, Windows-based
- + Creating recipes on site or from the ERP
- + Batch tracking
- + Remote maintenance
- + Barcode verification

Maximal
options – least
space!



The breakthrough without breaking through:

EXPLOSION-PROTECTION without conversion measures



Handling of
highly flammable
media



Device category
II 2G EX in accordance
with directive
2014/34/EU



Operation in
already-established
ATEX zone 1



Füll Process Group advises and supports you from your idea to the turn-key plant. We will gladly compile your plant for you non-committally with our 3D planners based on your requirements.

We look forward to hearing from you!

SWITZERLAND

tecobruhin⁺

Tecos Bruhin AG
+ Moosgrabenstr. 12 + CH-8595 Altnau + Switzerland
+ Phone +41 71 694 54 24 + Fax +41 71 694 54 34
+ info@tecobruhinag.ch + tecobruhinag.ch

GERMANY

FÜLL
Dispensing Systems

Füll Systembau GmbH
+ Richard-Klinger-Str. 31 + D-65510 Idstein + Germany
+ Phone +49 6126 59827 + Fax +49 6126 54415
+ info@fuell-dispensing.com + fuell-dispensing.com